

Appendix of Manuscript "PEARL: Physical Environment based Augmented Reality Lenses for In-Situ Human Movement Analysis"

Weizhou Luo

Zhongyuan Yu

Rufat Rzayev

Marc Satkowski

Stefan Gumhold

Matthew McGinity

Raimund Dachsel

ABSTRACT

In this appendix, we provide additional information regarding (1) our literature research on human movement analysis and (2) technical details of the prototype.

For the original manuscript this appendix is associated with, please refer to the published article under <https://doi.org/10.1145/3544548.3580715> or to our project page www.imld.de/PEARL.

ACM Reference Format:

Weizhou Luo, Zhongyuan Yu, Rufat Rzayev, Marc Satkowski, Stefan Gumhold, Matthew McGinity, and Raimund Dachsel. 2023. Appendix of Manuscript "PEARL: Physical Environment based Augmented Reality Lenses for In-Situ Human Movement Analysis". In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems (CHI '23)*, April 23–28, 2023, Hamburg, Germany. ACM, New York, NY, USA, 2 pages. <https://doi.org/10.1145/3544548.3580715>

A LITERATURE ANALYSIS METHOD AND SUMMARY

To better understand how movement data analysis (i.e., knowledge discovery and extraction process [3]) can be performed, we examined the existing research landscape (see Tab. A1). We were particularly interested in what and how knowledge can be derived from the combination of the situated environment and human movement data, and the corresponding motivations of such knowledge extraction. For that, we examined related research publications of the last five years, between 2017 (exclusive) and 2022. We used the ACM digital library¹ and focused on major conferences such as ACM CHI, ACM CSCW or smaller specialized conferences such as ACM DIS and ACM ISS. For our search, we concentrated on various fields, including human motion and behavior analysis (e.g., user study analysis) and spatial analysis (e.g., human building interaction). We found 15 publications and categorized them based on the relations between components of spatio-temporal data and their visual representations (see Tab. A1). With this summary, we provide a foundational overview of research practice on analyzing

¹See: <https://dl.acm.org/>

Categories	References and Mapping		
Single Actor			
▸ Trajectory	[2, 4–7, 9, 10, 12, 13, 15, 16]		
▸ Avatar	[4, 5, 7, 8, 10, 12]		
▸ Contextual Information	[8, 13]		
Actor-Actor Relation			
What: Objects			
▸ Co-Located Comparison			
[13]			
▸ Interaction Characteristic			
[8, 9]			
▸ Other			
[4, 5, 15]			
Aggregated Actors			
What: Objects		When: Times	
▸ Compare			
[1, 13, 14, 16]			
▸ Session (Study)			
[6, 7]			
▸ Time Unit (Date)			
[11, 14]			
▸ Time Duration			
[9, 16]			
Actor-Area Relation			
What: Objects		Where: Spaces	
▸ Bird-Eye View Map			
[2, 6, 9, 13, 16]			
▸ Observation Video			
[4–6, 15]			
▸ 3D Environment Model			
[8, 9]			
Actor-Area Interaction			
What: Objects		Where: Spaces	
▸ Direct Touch			
[4–6, 8, 10, 15]			
▸ Attention			
[2, 4, 6, 9, 15]			
▸ Engagement			
[4, 8, 10, 15]			
▸ Other			
[1, 6, 9]			
Aggregated Actor-Area			
What: Objects		Where: Spaces	
When: Times			
▸ Duration			
[4, 5, 9, 12, 13, 15]			
▸ Frequency			
[5, 10, 12, 13]			
▸ Sequence (Transition)			
[4, 7, 9, 10, 12, 13, 15]			
▸ Trail			
[5, 8]			

Table A1: A condensed overview of the papers found through our literature search and presented in Sec. 2.2 of our paper. The publications presented here are grouped based on the relations between the components of spatio-temporal data, their visual representation, or task focus.

human motion data to support high-level knowledge building and decision-making.

B PROTOTYPE TECHNICAL DETAILS

This section provides additional information about the implementation of the prototype described in the paper titled "PEARL: Physical Environment based Augmented Reality Lenses for In-Situ Human Movement Analysis". To realize the prototype, we facilitated a graph-based data structure to represent topological relations between region of interest (ROIs). Here, *Lenses* are considered nodes, while the relationships between them are encoded in the edges.

Stacked Bar Chart (see Fig. 1B in the paper) and *2D Bar Chart* (see Fig. 11B in the paper). Each *Lens* has the functionality to calculate how many visitors passed through the volume of the *Lens*. For the stacked 3D bars, the highest value of all *Lenses* is used to define the maximum height of the bars. Each bar is then mapped accordingly, also regarding the currently defined entity groups. The same calculation is used for the situated 2D bar charts.

Sequence View (see Fig. 10C in the paper). Similar to the Flow View (see Sec. 5.3 in the paper), to generate the Sequence View, we first identify all directly connected *Lens* pairs that have trajectories passing through. The number of these trajectories then determines the number of fishbone-like links rendered in the texture that is placed on the floor.

Pace View (see Fig. 10D in the paper). We calculated the exit and entry point to define the movement between two *Lenses*. Following, we calculated the highest speed of all those segments which we used for color mapping of the pace links. Lastly, we map the average speed of the segments on the links themselves and drawn them on the texture which is placed on the floor.

Approach View (see Fig. 1A in the paper). The Approach View is based on a radial bar chart with 24 bars defining the direction of the approach. We define the values for each direction and therefore bar, we calculate the entry point of every entity. Following, we determine the angle of each entry point in relation to the center of the *Lens*, which we then split into 24 equal parts. Lastly, we count the entry points within each angle group and map them, also based on the currently used entity groups, to the lengths of the bars. Additionally, we normalize the lengths over all *Lenses* that should show an Approach View.

Segmented Trajectories (see Fig. 10A in the paper). In this work, we allow users to use *Lenses* for defining a motion data range. To extract segments of trajectories, we iterate over every trajectory that is within a *Lens*. This means, we trace its previous point and check if it enters or exits any *Lens*: If the point is in a *Lens* while its previous or following point is not, the point has just entered or is currently exiting the *Lens*. Next, we collect every point between the entry and exit points and combine them to a segment.

REFERENCES

- [1] Shivam Agarwal, Jonas Auda, Stefan Schneegaß, and Fabian Beck. 2020. A Design and Application Space for Visualizing User Sessions of Virtual and Mixed Reality Environments. (2020). <https://doi.org/10.2312/vmv.20201194>
- [2] Hamed S Alavi, Himanshu Verma, Jakub Mlynar, and Denis Lalanne. 2018. The hide and seek of workspace: Towards human-centric sustainable architecture. In *Proceedings of the 2018 CHI conference on human factors in computing systems*. 1–12. <https://doi.org/10.1145/3173574.3173649>
- [3] Gennady Andrienko, Natalia Andrienko, Peter Bak, Daniel Keim, and Stefan Wrobel. 2013. *Visual analytics of movement*. Springer Science & Business Media. <https://doi.org/10.1007/978-3-642-37583-5>
- [4] Frederik Brudy, Suppachai Suwanwatcharachat, Wenyu Zhang, Steven Houben, and Nicolai Marquardt. 2018. EagleView: A Video Analysis Tool for Visualising and Querying Spatial Interactions of People and Devices. In *Proceedings of the 2018 ACM International Conference on Interactive Surfaces and Spaces* (Tokyo, Japan) (ISS '18). Association for Computing Machinery, New York, NY, USA, 61–72. <https://doi.org/10.1145/3279778.3279795>
- [5] Wolfgang Büschel, Anke Lehmann, and Raimund Dachselt. 2021. MIRIA: A Mixed Reality Toolkit for the In-Situ Visualization and Analysis of Spatio-Temporal Interaction Data. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 470, 15 pages. <https://doi.org/10.1145/3411764.3445651>
- [6] Sebastian Hubenschmid, Jonathan Wieland, Daniel Immanuel Fink, Andrea Batch, Johannes Zagermann, Niklas Elmqvist, and Harald Reiterer. 2022. Re-Live: Bridging In-Situ and Ex-Situ Visual Analytics for Analyzing Mixed Reality User Studies. In *CHI Conference on Human Factors in Computing Systems*. 1–20. <https://doi.org/10.1145/3491102.3517550>
- [7] Simon Kloiber, Volker Settgast, Christoph Schinko, Martin Weinzerl, Johannes Fritz, Tobias Schreck, and Reinhold Preiner. 2020. Immersive Analysis of User Motion in VR Applications. *Vis. Comput.* 36, 10–12 (oct 2020), 1937–1949. <https://doi.org/10.1007/s00371-020-01942-1>
- [8] Bokyung Lee, Michael Lee, Jeremy Mogk, Rhys Goldstein, Jacobo Bibliowicz, Frederik Brudy, and Alexander Tessier. 2021. Designing a Multi-Agent Occupant Simulation System to Support Facility Planning and Analysis for COVID-19. In *Designing Interactive Systems Conference 2021*. 15–30. <https://doi.org/10.1145/3461778.3462030>
- [9] Bokyung Lee, Michael Lee, Pan Zhang, Alexander Tessier, Daniel Saakes, and Azam Khan. 2021. Socio-Spatial Comfort: Using Vision-Based Analysis to Inform User-Centred Human-Building Interactions. *Proceedings of the ACM on Human-Computer Interaction* 4, CSCW3 (2021), 1–33. <https://doi.org/10.1145/3432937>
- [10] Klemen Liliija, Henning Pohl, and Kasper Hornbæk. 2020. Who Put That There? Temporal Navigation of Spatial Recordings by Direct Manipulation. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–11. <https://doi.org/10.1145/3313831.3376604>
- [11] Michael Oppermann and Tamara Munzner. 2020. Ocupado: Visualizing Location-Based Counts Over Time Across Buildings. In *Computer Graphics Forum*, Vol. 39. Wiley Online Library, 127–138.
- [12] Patrick Reipschläger, Frederik Brudy, Raimund Dachselt, Justin Matejka, George Fitzmaurice, and Fraser Anderson. 2022. AvatAR: An Immersive Analysis Environment for Human Motion Data Combining Interactive 3D Avatars and Trajectories. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 23, 15 pages. <https://doi.org/10.1145/3491102.3517676>
- [13] Ben Rydal Shapiro. 2017. Using space time visualization in learning environment design. In *Proceedings of the 2017 CHI conference extended abstracts on human factors in computing systems*. 178–183. <https://doi.org/10.1145/3027063.3048422>
- [14] Himanshu Verma, Hamed S Alavi, and Denis Lalanne. 2017. Studying space use: bringing HCI tools to architectural projects. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. 3856–3866. <https://doi.org/10.1145/3025453.3026055>
- [15] Ulrich von Zadow and Raimund Dachselt. 2017. GIAnT: Visualizing Group Interaction at Large Wall Displays. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 2639–2647. <https://doi.org/10.1145/3025453.3026006>
- [16] Yuan Yao, Junai Cai, Kexin Du, Yuxuan Hou, and Haipeng Mi. 2022. Establishing Design Consensus toward Next-Generation Retail: Data-Enabled Design Exploration and Participatory Analysis. In *CHI Conference on Human Factors in Computing Systems*. 1–22. <https://doi.org/10.1145/3491102.3517637>